

A close-up photograph of a person's hand hovering just above a red emergency stop button. The button is mounted on a yellow circular base with the words "EMERGENCY STOP" printed on it. The background is a blurred industrial control panel with other buttons and lights.

SIEMENS

Ingenuity for life

Five steps to safe machines

- Risk assessment
- Minimization
- Successful testing
- Documentation
- Validation in mechanical engineering

Guaranteed compliance: Standards and regulations

Siemens supports you!

As partner for all safety issues, we not only offer high-quality products and systems, but also competently help you to comply with international standards and regulations – with safety trainings, functional examples and certified products.



Competent support throughout the entire lifecycle

With our innovative and comprehensive safety technology product portfolio as well as competent support services, we offer substantial advantages – throughout all phases of the product lifecycle.



Maintenance



Mounting and commissioning

Operation and servicing



1 Risk assessment

- Risk assessment represents the first step towards safe machine concepts.
- The 2006/42/EC Machinery Directive calls for mandatory risk assessment for the construction or modification of a machine or machine part.
- Risk assessment is to be implemented and documented by competent qualified personnel.

Description of the machine


Excerpt from the machine description:

- Intended use
- Use limits
- User groups
- Time limits
- Space limits

Identification of hazards

Systematic identification of all reasonably foreseeable hazards across all lifecycle phases and operating modes of the machine.

Evaluation of risks




- Description and evaluation of the machine and the risks posed by the machine.
- The risk assessment result serves as the basis of the safety concept for risk minimization.
- An accusation of negligence in case of damage can be rejected on the basis of a correct risk assessment.

2 Risk reduction

- The target of risk reduction lies in the attainment of an acceptable residual risk.
- For this purpose, suitable safety measures are defined on the basis of the 3-step method by a team from the respective specialist departments.
- The architecture of the safety functions is defined and the overall safety concept is implemented and commissioned in the further steps.

Definition and evaluation of safety measures (3-step method)



Definition of technical protective measures as safety functions



Specification of safety requirements in accordance with ISO 13849-1 (PL) or IEC 62061 (SIL)

Simplified representation:

Reduction of ...

... lowest risk

- Avoidable minor injury
- Lowest probability of occurrence

PL a

... low risk

- Minor injury
- Low probability of occurrence

PL b PL c SIL 1

... average risk

- Minor to severe injury
- Average probability of occurrence

PL d SIL 2

... high risk



- Severe injury or death
- High probability of occurrence

PL e SIL 3

The actually required safety level can only be determined by means of standard-specific specifications based on the risk graphs.

3 Implementation of technical protective measures

Component selection in accordance with the applied standard's requirements.



Examination of safety functions.

- Specified by the ISO 13849-1 and IEC 62061 standards
- The safety concept has to be evaluated and documented on the basis of the failure probability calculation
- Evaluation can be realized with the Safety Evaluation Tool
- Free use of the online tool: www.siemens.com/safety-evaluation-tool

Design implementation	Technical implementation	Commissioning
-----------------------	--------------------------	---------------

- Encasing of cutting machine
- Attachment of technical components

- Wiring of components
- Programming and parameterization of components

- Commissioning of components
- Testing of safety functions



- The implemented design and technical measures have reduced the risk to such an extent that no further technical measures are required.
- The application of certified, state-of-the-art safety technology products eases the proof of the technical protective measure's standard-compliant implementation.
- Further residual risks have to be pointed out through user information in the form of warning notes or within the scope of trainings.

4 Proof

- Verification and validation form part of the safety proof.
- In addition, conformity with the relevant standards has to be proven by means of a conformity evaluation procedure.
- Subsequently, the declaration of conformity can be filled in and the CE mark can be attached.

Documentation of measures

The manufacturer prepares the technical documents as proof of conformity. The technical documents' relevant contents are specified in Annex VII of the Machinery Directive.

Validation

Overall release of a machine in consideration of all verification points.

Planning

Preparation of a validation plan on the basis of which validation is carried out

Analysis

Theoretical examination of all safety functions

Testing

Practical examination of all safety functions

Documentation

Preparation of the documentation specified in the Machinery Directive

Verification

- In case of damage, the manufacturer can verify that his machine's design is compliant with the directive.
- Compliance verification provides better protection against liability claims and accusations of negligence which may entail high claims for damages.

5 Directives and CE marking

CE

CE marking has to be carried out in accordance with the Machinery Directive:

- Only with the specified type face
- Clearly visible, legible and permanently attached to the product

With the CE marking, the manufacturer confirms compliance with all relevant directives.




Find out more:

usa.siemens.com/safety

Systematic industrial safety technology:

- › Find the right safety solution in a breeze
- › Learn everything about machine safety
- › Experience safety in production and process automation

**Safety
Integrated –
at a glance!**



Published by
Siemens Industry, Inc. 2017.

Siemens Industry, Inc.
5300 Triangle Parkway
Norcross, GA 30092

For more information, please contact
our Customer Support Center.
Phone: 1-800-241-4453
E-mail: info.us@siemens.com

usa.siemens.com/safety

© 2017 Siemens Industry, Inc.
Order No.: SIBR-Y520M-0217
Printed in USA

Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

Follow us on:

**twitter.com/siemensindustry
siemens.com/safety/youtube**